

S11409

9.8A19/LED/50K/120V/ECO/ND 9.8W; A19 LED; 5000K; Medium base; 220 deg. beam spread;120V

Features

- A-Shaped replacement lamp
 Direct replacements for 60 watt incandescent
 Approved for enclosed fixtures
 Damp location rated



S11409

Item Number		UPC	Voltage	Wat	Watts		Operating Frequency		Incandescent Equivalent			r r	Lamp Shape	
S11409 045		045923114090	4090 120		}	50/60H	łz		60W		0.54		A19	
Base	ANSI Base		Lamp Code	np Code			Dimmable/Non- Dimmable		nish	MOL In Inches	MOD In Inches		Initial Lumens	
Medium	E26	9.8A19	9.8A19/LED/50K/120V/ECO/NE			Non-	Dimmab	le W	hite	4-11/32"	2-3/8"		800	
Average Rated Hours		Kelvin Temp	Color	Color CRI ^{Bea}		pread g	Operating Te		Temperature		Pack	Ра	ckage Type	
10000		5000	Natural Light	80	220	220 -2		(-13F) to a maximum of +45C (+113F)			24/6	Box		
CEC Status		RoHS Corr	npliant F	Fixture Type			UL or ETL Listed		UL Classification			Warranty		
Non-Compliant		Yes	Enclo	Enclosed Rated Lamp		Y	Yes		cULus - Damp Location Rated				3 Year Limited	



National Toll-Free: 800.43.SATCO (800.437.2826) www.satco.com Distribution Centers: New York, Florida, Texas, Washington, California, Puerto Rico Corporate Offices: 110 Heartland Blvd., Brentwood, NY 11717 800.437.2826 631.243.2022 Fax 631.243.2027



@2012, Satco Products, Inc. Not responsible for typographical errors. 06/12 S1051