



S21816

4.5G16.5/LED/WH/927/120V/E26/2

GENERAL SPECIFICATIONS

Shape:	G16.5
Wattage:	4.5W
Lumen Output:	350L
Color Temperature:	2700K
Base:	Medium



TECHNICAL SPECIFICATIONS

Wattage:	4.5W	CRI:	90CRI
Volts:	120V	Lumen Output:	350L
Incandescent Equivalent:	40W	Dimmable:	Yes-Dimmable
Shape:	G16.5	Dimming Function:	120V only
Filament:	LED	Burning Position:	Universal
Base:	Medium	Beam Spread:	320D
ANSI Base:	E26	Power Factor:	0.77
Finish:	White	Operating Temp:	-20C (-4F) to +45C (+113F)
Hours Rated:	15000H	Enclosure Rating:	Enclosed Rated Lamp
Color Temperature:	2700K	Safety Listing:	cETLus
		Technology:	LED
		Material:	Glass / Copper

DIMENSIONS

MOL:	3.11"
MOD:	1.97"
Weight:	0.075

LISTINGS

MAEDBS Regulatory Status:	Non Federally-Regulated
MAEDBS JA8 Add Date:	1/10/2023
MAEDBS Appliance Type:	State-regulated Light Emitting Diode Lamp
ES Lamp Category:	Decorative
Safety Listing:	cETLus
Location Rating:	Wet
Energy Star:	Yes
ES Unique ID:	ESID-2407345
FCC Compliant:	Yes
Title 20:	Yes
CEC Terse:	Lawful for sale in California
RoHS Compliant:	Yes

PACKAGING

Each UPC:	045923218163	Inner UPC:	20045923218167	Case UPC:	10045923218160
Each Quantity:	1	Inner Quantity:	12	Case Quantity:	24
Each Dimensions:	2.36 x 5.98 x 8.58"	Inner Dimensions:	15.00 x 13.58 x 9.61"	Case Dimensions:	15.16 x 13.74 x 19.37"

110 Heartland Blvd.
 Brentwood, NY 11717
 PH 631-243-2022
 FX 631-243-2027

Distribution Centers
 New York, Florida,
 Texas, Washington,
 California, Puerto Rico

National Toll-Free
 800-43-SATCO
 (800-437-2826)
 www.satco.com

Copyright 2023
 Satco Products, Inc.
 All Rights Reserved
 April 10, 2023

Brand	Model #
LUTRON	MACL-LFQ
LUTRON	MRF2S-6ELV
LUTRON	MSCL-OP153M
LUTRON	NTRP-250
SATCO	S11268
SATCO	86/103

110 Heartland Blvd.
 Brentwood, NY 11717
 PH 631-243-2022
 FX 631-243-2027

Distribution Centers
 New York, Florida,
 Texas, Washington,
 California, Puerto Rico

National Toll-Free
 800-43-SATCO
 (800-437-2826)
www.satco.com

Copyright 2023
 Satco Products, Inc.
 All Rights Reserved
 April 10, 2023