

S39059

11.6WLED/DW/EL/5-6/50K/120V 11.6 watt LED Direct Wire Downlight; Edge-lit; 5-6 inch; 5000K; 120 volt; Dimmable

Features

- Solid State LED lighting
 Long life
 Integrated j-box for direct wire installation
 Dimmable
 IC Rated



S39059

| Ite Num | | UF | ⊃C | Voltage | Watts | Incandescent Equivalent | Fixture Ty | /pe Base | e l | amp C | Code |
|-----------------------------------|---------------------------|--------------|--------------------------|---|------------------|------------------------------|------------------------|-------------------|-------------|---------------------------------|------------|
| S39 | 059 | 045923 | 390593 | 3 120 | 11.6 | 65W | Direct Wi Downlig | | | 11.6WLED/DW/EL/5- 6/50K/120V | |
| Dimm | nable/No | on-Dimm | able | Finish | MOL In Inches | MOD In Inches | Initial Lumens | Average F Hour | | lvin emp | Color |
| | Dimn | nable | | Frosted | 1-15/16" | 7-1/8" | 780 | 4000 | 0 5 | 000 | Daylight |
| CRI | | Spread eg | Оре | erating Tempe | erature | Ceiling Aperture | Max Drywa Thickness | Раск | Package Ty | pe EN | IERGY STAR |
| 90 | 1 | 00 | -20C | C (-4F) to a maximum of +45C (+113F) | | 6-7/16 in. cutout | 3/4 in. | 12/1 | Box | Box ENE | |
| | CEC Status RoHS Compliant | | UL or ETL Listed UL Clas | | L Classificat | ssification | | Varranty | | | |
| Lawful for sale in California Yes | | | S | Yes | cETLus - | cETLus - Damp Location Rated | | | ear Limited | | |



National Toll-Free: 800.43.SATCO (800.437.2826) www.satco.com Distribution Centers: New York, Florida, Texas, Washington, California, Puerto Rico Corporate Offices: 110 Heartland Blvd., Brentwood, NY 11717 800.437.2826 631.243.2022 Fax 631.243.2027



@2012, Satco Products, Inc. Not responsible for typographical errors. 06/12 S1051