

## S8497

15PAR38/LED/40'/4K/90CRI 15 watt PAR38 LED; 4000K; 40' beam spread; Medium base; 120 volts

## Features

- Solid State LED lighting
  Reflector replacement lamp
  Long life
  IP65 Wet location rated
  Approved for enclosed fixtures
  For Indoor and Outdoor use
- ABS Lens
- Dimmable



S8497

Item Numbe	er l	JPC	Voltage	Watts	Incandescent Equivalent		Lam	amp Shape		se	ANSI Base	
S8497	045923084973		73 120	15	90W			PAR38		Med	ium	E26
La	amp Code		Dimmable/N Dimmable		Suggested Dimmers	Finish	MOL Inch		MOD In Inches	Initia Lume		Average Rated Hours
15PAR38/LED/40'/4K/90CRI		Dimmable		ompatible mmers for S8497	Clear	Clear 5-1/4"		4-3/4"	1000		25000	
Kelvin Temp	Color	CRI	Beam Spread Deg	Operating Temperature Page 1			ack	Package	e Type EN		ERGY STAR	
4000	Cool White	90+	40	•	-20C (-4F) to a maximum of +45C (+113F)			2/6	Box EN		ENI	ERGY STAR
CEC Status Ro		RoHS Compliant	Fixt	Fixture Type UL CI		Classification		V	Varranty			
Lawful for sale in California		Yes	Enclo	sed Rated cULus - Wet Location Rated			ed	3 Year Limited				



National Toll-Free: 800.43.SATCO (800.437.2826) www.satco.com Distribution Centers: New York, Florida, Texas, Washington, California, Puerto Rico Corporate Offices: 110 Heartland Blvd., Brentwood, NY 11717 800.437.2826 631.243.2022 Fax 631.243.2027



©2012, Satco Products, Inc. Not responsible for typographical errors. 06/12 S1051