

Linear Incandescent Lamps

Not Shown Actual Size




T8
Medium Base



T8
Disc Base



T8
Disc Base



T10
S14S Base

Watts	Bulb Type	Base	Satco Order No.	Lamp Code	Finish	Volts	Avg. Rated Hours	Lumens	Filament	M.O.L.	Pack. Type	Mst. Ctn.
40	T8	Med.	S2977	40T8	Clear	130V	2000	265	C-8	12"	Box	10
60	T8	Med.	S2978	60T8	Clear	130V	2000	425	C-8	12"	Box	10
75	T8	Med.	S2979	75T8	Clear	130V	2000	584	C-8	12"	Box	10
40	T8	Disc	S2980	L40	Clear	120V	1500	325	C-8	11 3/4"	Sleeve	24
40	T8	Disc	S2981	L40W	White	120V	1500	295	C-8	11 3/4"	Sleeve	12
60	T8	Disc	S2982	L60	Clear	120V	1500	480	C-8	17 3/4"	Sleeve	24
60	T8	Disc	S2983	L60W	White	120V	1500	450	C-8	17 3/4"	Sleeve	12
60	T10	S14S	S4894	LN60	White	125V	1000	460	C-8	19 11/16"	Box	25
150	T10	S14S	S4895	LN150	White	125V	1000	930	C-8	39 1/8"	Sleeve	16

Natural Spectrum

120 Volt / 2000 Hours **Neodymium** Lamps

Natural Spectrum Lamps utilize a rare earth element called Neodymium which is integral to the glass. This element filters out the yellow hue commonly associated with incandescent lamps. Thus creating a truer and more accurate color of light.



B10

Natural Spectrum

Cand. Base

S2970 25 Watt 120V

S2971 40 Watt 120V

S2972 60 Watt 120V

Packing: 1/Card
50/Master, 10/Inner



G16 1/2"

Natural Spectrum

Cand. Base

S2973 25 Watt 120V

S2974 40 Watt 120V

S2975 60 Watt 120V

Packing: 1/Card
50/Master, 10/Inner

Watts	Bulb Type	Base	Satco Order No.	Lamp Code	Finish	Volts	Avg. Rated Hours	Lumens	Filament	M.O.L.	Pack. Type	Mst. Ctn./ Inner Pack
25	B10	Cand.	S2970	C32F25VLX	Frosted	120V	2000	220	CC-2V	3 7/8"	1/Card	50/10
25	G16 1/2"	Cand.	S2973	G161/2F25VLX	Frosted	120V	2000	220	CC-2V	3"	1/Card	50/10
40	B10	Cand.	S2971	C32F40VLX	Frosted	120V	2000	370	CC-2V	3 7/8"	1/Card	50/10
40	G16 1/2"	Cand.	S2974	G161/2F40VLX	Frosted	120V	2000	370	CC-2V	3"	1/Card	50/10
60	B10	Cand.	S2972	C32F60VLX	Frosted	120V	2000	650	CC-2V	3 7/8"	1/Card	50/10
60	G16 1/2"	Cand.	S2975	G161/2F60VLX	Frosted	120V	2000	650	CC-2V	3"	1/Card	50/10

specialty lamps

Natural Spectrum

Neodymium Lamps 120 Volt / 5000 Hours

Natural Spectrum Lamps utilize a rare earth element called Neodymium which is integral to the glass. This element filters out the yellow hue commonly associated with incandescent lamps. Thus creating a truer and more accurate color of light.



R20

Flood Natural Spectrum

Medium Base

S4824 60 Watt

Packing: Individually Boxed
50/Master, 10/Inner

R30

Flood Natural Spectrum

Medium Base

S4825 75 Watt

S4826 100 Watt

Packing: Individually Boxed
50/Master, 10/Inner

R40

Flood Natural Spectrum

Medium Base

S4827 150 Watt

Packing: Individually Boxed
50/Master, 10/Inner

Not Shown Actual Size

Watts	Bulb Type	Base	Satco Order No.	Lamp Code	Finish	Volts	Avg. Rated Hours	Lumens	Filament	M.O.L.	Pack. Type	Mst. Ctn./ Inner Pack
60	R20	Med.	S4824	R20FF60VLX	Frosted	120V	5000	520	C-9	4"	Box	50/10
75	R30	Med.	S4825	R30FF75VLX	Frosted	120V	5000	680	C-9	5 3/8"	Box	50/10
100	R30	Med.	S4826	R30FF100VLX	Frosted	120V	5000	1000	C-9	5 3/8"	Box	50/10
150	R40	Med.	S4827	R40FF150VLX	Frosted	120V	5000	1450	C-9	6 1/2"	Box	50/10

Natural Spectrum

120 Volt / 5000 Hours *Neodymium* Lamps



specialty lamps

A15/A19

Natural Spectrum
Medium Base

** S2976 40 Watt A15 Frosted
S4816 60 Watt A19 Frosted
S4817 60 Watt A19 Clear
Packing: Individually Boxed
50/Master, 10/Inner

** Carded

A21

Natural Spectrum
Medium Base

S4818 75 Watt Frosted
S4819 75 Watt Clear
S4820 100 Watt Frosted
S4821 100 Watt Clear
S4822 150 Watt Frosted
Packing: Individually Boxed
50/Master, 10/Inner

3-Way

Frosted
Natural Spectrum

Medium Base
S4823 50/100/150 Watt
Packing: Individually Boxed
50/Master, 10/Inner

G25

Frosted
Natural Spectrum

Medium Base
S4815 40 Watt
Packing: Individually Boxed
50/Master, 10/Inner

Not Shown Actual Size

Watts	Bulb Type	Base	Satco Order No.	Lamp Code	Finish	Volts	Avg. Rated Hours	Lumens	Filament	M.O.L.	Pack. Type	Mst. Ctn./ Inner Pack
40	A15*	Med.	S2976	A15F40VLX	Frosted	120V	5000	300	C-9	3 1/2"	Card/1	50/10
40	G25	Med.	S4815	G25F40VLX	Frosted	120V	5000	320	C-9	4 3/8"	Box	50/10
60	A19	Med.	S4816	A19F60VLX	Frosted	120V	5000	465	C-9	4 1/8"	Box	50/10
60	A19	Med.	S4817	A19C60VLX	Clear	120V	5000	465	C-9	4 1/8"	Box	50/10
75	A21	Med.	S4818	A21F75VLX	Frosted	120V	5000	630	C-9	5 1/16"	Box	50/10
75	A21	Med.	S4819	A21C75VLX	Clear	120V	5000	630	C-9	5 1/16"	Box	50/10
100	A21	Med.	S4820	A21F100VLX	Frosted	120V	5000	910	C-9	5 1/16"	Box	50/10
100	A21	Med.	S4821	A21C100VLX	Clear	120V	5000	910	C-9	5 1/16"	Box	50/10
150	A21	Med.	S4822	A21F150VLX	Frosted	120V	5000	1400	C-9	5 1/16"	Box	50/10
50-150	A21	Med.	S4823	A21F3WVLX	Frosted	120V	5000	350/910/1260	C-9	5 1/16"	Box	50/10

* Not Shown

Lamps

Satco Shatter Proof Lamps feature a special mylon® coating which effectively contains glass particles should the lamp break.

These lamps are perfect in food storage preparation, display and sorting tables, hospitals, restaurants and recreation facilities.

Special orders are available for large quantities on specific lamp types.



Not Shown Actual Size



A15

A19

A21

A21

Frosted
Medium Base 130V

- S4880** 25 Watt
- S4881** 40 Watt
- S4882** 60 Watt

Packing: Indiv. Boxed
500/Master, 25/Inner

Frosted
Medium Base 130V

- S3927** 60 Watt
- S3928** 75 Watt
- S3929** 100 Watt

Packing: Boxed 2 Pack
24/Master, 12 - 2 Packs
Sold Per Pack

Frosted
Medium Base 130V

- S4883** 150 Watt
- Packing: Indiv. Boxed
24/Master

Rough Service
Medium Base 130V

- S3972** 75 Watt Frosted
- S3973** 100 Watt Frosted

Packing: Indiv. Boxed
24/Master

Watts	Bulb Type	Base	Satco		Finish	Volts	Avg. Rated		Filament	M.O.L.	Pack. Type	Mst. Ctn./ Inner Pack
			Order No.	Lamp Code			Hours	Lumens				
25	A15	Med.	S4880	25A15/TF	Frosted	130V	2500	120	C-9	3 1/2"	Box	500/25
40	A15	Med.	S4881	40A15/TF	Frosted	130V	2500	280	C-9	3 1/2"	Box	500/25
60	A15	Med.	S4882	60A15/TF	Frosted	130V	2500	530	C-9	3 1/2"	Box	500/25
60	A19	Med.	S3927	60A19/RS/TF	Frosted	130V	5000	520	C-9	4 1/8"	2/Pks	12
75	A19	Med.	S3928	75A19/RS/TF	Frosted	130V	5000	680	C-9	4 1/8"	2/Pks	12
100	A19	Med.	S3929	100A19/RS/TF	Frosted	130V	5000	960	C-9	4 1/8"	2/Pks	12
75	A21	Med.	S3972	75A21/TF	Frosted	130V	2500	620	C-9	5 5/16"	Box	24
100	A21	Med.	S3973	100A21/TF	Frosted	130V	2500	880	C-9	5 5/16"	Box	24
150	A21	Med.	S4883	150A21/TF	Frosted	130V	2500	1750	C-9	5 5/16"	Box	24

Shatter-Proof Lamps



specialty lamps

250R40/HR	250R40/1	BR30	R20
Red Heat Lamp Medium Base 120V S4884 250 Watt Packing: Indiv. Sleeved 12/Master	Clear Heat Lamp Medium Base 120V S4885 250 Watt Packing: Indiv. Sleeved 12/Master	Medium Base 120V S4887 65 Watt Packing: Indiv. Sleeved 96/Master, 12/Inner	Medium Base 120V S4886 50 Watt Packing: Indiv. Sleeved 96/Master, 12/Inner

Not Shown Actual Size

Watts	Bulb Type	Base	Satco Order No.	Lamp Code	Finish	Volts	Avg. Rated Hours	Lumens	Filament	M.O.L.	Pack. Type	Mst. Ctn./ Inner Pack
50	R20	Med.	S4886	50R20/TF	Frost.	120V	2000	375	C-9	4"	Sleeve	96/12
65	BR30	Med.	S4887	65BR30/TF	Frost.	120V	2000	685	C-9	5 3/8"	Sleeve	96/12
250	R40	Med.	S4885	250R40/1/TF	Clear	120V	5000	n/a	C-9	6 7/8"	Sleeve	12
250	R40	Med.	S4884	250R40/HR/TF	Red	120V	5000	n/a	C-9	6 7/8"	Sleeve	12

Low Voltage *Brass Base*



Lamps

1500 Hours

Not Shown Actual Size



12 Volt

Frosted

Medium Base

- S5010** 25 Watt/A19
- S5011** 50 Watt/A19
- S5012** 75 Watt/A21
- S5013** 100 Watt/A21

Packing: Sleeve, 1 Pack,
120 Master, 6/Inner



34 Volt

Frosted

Medium Base

- S5020** 25 Watt/A19
- S5021** 50 Watt/A19
- S5022** 75 Watt/A21
- S5023** 100 Watt/A21

Packing: Sleeve, 1 Pack,
120 Master, 6/Inner

Watts	Bulb Type	Base	Satco Order No.	Lamp Code	Finish	Volts	Avg. Rated Hours	Lumens	Filament	M.O.L.	Pack. Type	Mst. Ctn./ Inner Pack
25	A19	Med.	S5010	25A19/12V	Frost	12V	1500	250	C-6	4 1/8"	Sleeve	120/6
50	A19	Med.	S5011	50A19/12V	Frost	12V	1500	540	C-6	4 1/8"	Sleeve	120/6
75	A21	Med.	S5012	75A21/12V	Frost	12V	1500	720	C-6	5 5/16"	Sleeve	120/6
100	A21	Med.	S5013	100A21/12V	Frost	12V	1500	980	C-6	5 5/16"	Sleeve	120/6
25	A19	Med.	S5020	25A19/34V	Frost	34V	1500	250	C-6	4 1/8"	Sleeve	120/6
50	A19	Med.	S5021	50A19/34V	Frost	34V	1500	540	C-6	4 1/8"	Sleeve	120/6
75	A21	Med.	S5022	75A21/34V	Frost	34V	1500	720	C-6	5 5/16"	Sleeve	120/6
100	A21	Med.	S5023	100A21/34V	Frost	34V	1500	990	C-6	5 5/16"	Sleeve	120/6

specialty lamps

Not Shown Actual Size



A19/130V

A19/230V

A19/220V

Frosted
Euro D.C. Base
130 Volt
S5030 40 Watt
S5031 60 Watt

Frosted
Euro D.C. Base
230 Volt
S5040 40 Watt
S5041 60 Watt

Soft White
Medium Base/220 Volt
S4076 40 Watt **S4078** 75 Watt
S4077 60 Watt **S4079** 100 Watt
Packing: Individually Boxed
120/Master

Packing: Indiv. Boxed
120/Master

Halogen - J Type Double Ended



220 Volt
S3185 500 Watt T3Q/CL 118mm
Packing: Individually Boxed
12/Master

Watts	Bulb Type	Base	Satco Order No.	Lamp Code	Finish	Volts	Avg. Rated Hours	Lumens	Filament	M.O.L.	Pack. Type	Mst. Ctn./ Inner Pack
40	A19	Med.	S4076	40A19/F	Frost	220V	2500	330	CC-2F	4 1/8"	Box	120
60	A19	Med.	S4077	60A19/F	Frost	220V	2500	630	CC-2F	4 1/8"	Box	120
75	A19	Med.	S4078	75A19/F	Frost	220V	2500	750	CC-2F	4 1/8"	Box	120
100	A19	Med.	S4079	100A19/F	Frost	220V	2500	1250	CC-2F	4 1/8"	Box	120
40	A19	Euro D.C.	S5030	40A19/F	Frost	130V	2500	330	CC-6	4 1/8"	Box	120
40	A19	Euro D.C.	S5040	40A19/F	Frost	230V	2500	330	CC-2F	4 1/8"	Box	120
60	A19	Euro D.C.	S5031	60A19/F	Frost	130V	2500	630	CC-6	4 1/8"	Box	120
60	A19	Euro D.C.	S5041	60A19/F	Frost	230V	2500	630	CC-2F	4 1/8"	Box	120
500	T3	R7S	S3185	500T3Q/CL	Clear	220V	2000	9500	C-8	4 11/16"	Box	220

220 Volt Brass Base



Globe Lights G25 3 1/8"

2500 Hours

Clear

Medium Base
(220 Volt)

A3644 40 Watt

Packing: Individually
Boxed
72/Master, 6/Inner



Shown
Actual Size



White

Medium Base
(220 Volt)

A3645 40 Watt

Packing: Individually Boxed
72/Master, 6/Inner



Watts	Bulb Type	Base	Satco Order No.	Lamp Code	Finish	Volts	Avg. Rated Hours	Lumens	Filament	M.O.L.	Pack. Type	Mst. Ctn./ Inner Pack
40	G25	Med.	A3644	40G25	Clear	220V	2500	212	CC-9	4 3/8"	Box	72/6
40	G25	Med.	A3645	40G25/W	White	220V	2500	187	CC-9	4 3/8"	Box	72/6

Decorative Torpedo Bulbs

Bulbs



specialty lamps



Clear

E14 Euro Base
220 Volt
S3393 25 Watt
S3394 40 Watt
Packing: Indiv. Boxed
500/Master, 25/Inner



Clear

E12 Cand. Base
220 Volt
S3386 25 Watt
S3387 40 Watt
S3388 60 Watt
Packing: Indiv. Boxed
500/Master, 25/Inner



Frosted

E12 Cand. Base
220 Volt
S3385 40 Watt
Packing: Indiv. Boxed
500/Master, 25/Inner



Clear

Medium Base
220 Volt
S3384 40 Watt
Packing: Indiv. Boxed
500/Master, 25/Inner

Bulbs Shown Actual Size

Watts	Bulb Type	Base	Satco Order No.	Lamp Code	Finish	Volts	Avg. Rated Hours	Lumens	Filament	M.O.L.	Pack. Type	Mst. Ctn./ Inner Pack
25	B10	E12/Cand.	S3386	25B10	Clear	220V	1000	200	CC-2F	3 3/4"	Box	500/25
25	B10	E14/Euro.	S3393	25B10	Clear	220V	1000	200	CC-2F	3 3/4"	Box	500/25
40	B10	E12/Cand.	S3385	40B10/F	Frost.	220V	1000	330	CC-2F	3 3/4"	Box	500/25
40	B10	E12/Cand.	S3387	40B10	Clear	220V	1000	330	CC-2F	3 3/4"	Box	500/25
40	B10	E14/Euro.	S3394	40B10	Clear	220V	1000	330	CC-2F	3 3/4"	Box	500/25
40	B11	Medium	S3384	40B11	Clear	220V	1000	370	CC-2F	3 7/8"	Box	500/25
60	B10	E12/Cand.	S3388	60B10	Clear	220V	1000	650	CC-2F	3 3/4"	Box	500/25

230 Volt Brass Base



BR38 Weather-Proof Reflectors

Not Shown Actual Size

2000 Hours

BR38 Colors

Medium Base
230 Volt

- S5002** 100 Watt Red
- S5003** 100 Watt Amber
- S5004** 100 Watt Yellow
- S5005** 100 Watt Green
- S5006** 100 Watt Blue
- S5007** 100 Watt Pink

Packing: Individually Boxed
6/Master

BR38 Clear

Medium Base
230 Volt

- S5000** 75 Watt Flood
- S5001** 150 Watt Flood

Packing: Individually Boxed
12/Master



Watts	Bulb Type	Base	Satco Order No.	Lamp Code	Finish	Volts	Avg. Rated Hours	Lumens	Filament	M.O.L.	Pack. Type	Mst. Ctn.
75	BR38	E27/Med.	S5000	75BR38/FL	Clear	230V	2000	750	CC9	5 5/16"	Box	12
100	BR38	E27/Med.	S5002	100BR38/R	Red	230V	2000	n/a	CC9	5 5/16"	Box	6
100	BR38	E27/Med.	S5003	100BR38/A	Amber	230V	2000	n/a	CC9	5 5/16"	Box	6
100	BR38	E27/Med.	S5004	100BR38/Y	Yellow	230V	2000	n/a	CC9	5 5/16"	Box	6
100	BR38	E27/Med.	S5005	100BR38/G	Green	230V	2000	n/a	CC9	5 5/16"	Box	6
100	BR38	E27/Med.	S5006	100BR38/B	Blue	230V	2000	n/a	CC9	5 5/16"	Box	6
100	BR38	E27/Med.	S5007	100BR38/PK	Pink	230V	2000	n/a	CC9	5 5/16"	Box	6
150	BR38	E27/Med.	S5001	150BR38/FL	Clear	230V	2000	1550	CC9	5 5/16"	Box	12

specialty lamps